From: Richard Fetzer/R3/USEPA/US

Sent: 9/26/2012 5:44:31 PM

To: "Suddha Graves" <sgraves@techlawinc.com>

CC: "mcdonald.joanna@epa.gov" < mcdonald.joanna@epa.gov>

Subject: Fw: Dimock IDW - Waste Profile

Suddha,

Rich Rupert says he signed this when I was on vacation and set it to you. He didn't cc me or Joanna. Would you please email the signed copy of the profile back to me and Joanna?

Thanks.

Rich

p.s. i sent the TDD extension to Philly for processing today.

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307
----- Forwarded by Richard Fetzer/R3/USEPA/US on 09/26/2012 05:43 PM -----

From: Richard Rupert/R3/USEPA/US

To: richard.fetzer@epa.gov, kelley.chase@epa.gov

Date: 09/12/2012 02:32 PM

Subject: Fw: Dimock IDW - Waste Profile

I just spoke with Sudda and he is going to make a couple changes to the profile to reflect my review.

Richard Rupert, On-Scene Coordinator U.S. EPA 1650 Arch Street - 3HS31 Philadelphia, PA 19103 (215) 814-3463 - office 215 514-8773 - mobile rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise." Colin Powell

---- Forwarded by Richard Rupert/R3/USEPA/US on 09/12/2012 02:30 PM ----

From: "Graves, Suddha" <Sgraves@TechLawlnc.com>

To: Richard Rupert/R3/USEPA/US

Co: Kelley Chase/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA

Date: 09/12/2012 02:15 PM

Subject: RE: FW: Dimock IDW - Waste Profile

Hi Rupert.

It was waste from the field screening activities.

Suddha Graves

DIM0267946 DIM0267946

TechLaw, Inc.

From: Richard Rupert [mailto:Rupert.Richard@epamail.epa.gov]

Sent: Wednesday, September 12, 2012 2:15 PM

To: Graves, Suddha

Cc: Kelley Chase; Richard Fetzer

Subject: Re: FW: Dimock IDW - Waste Profile

and the liquid waste was from what activity?

Richard Rupert, On-Scene Coordinator U.S. EPA 1650 Arch Street - 3HS31 Philadelphia, PA 19103 (215) 814-3463 - office 215 514-8773 - mobile

rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise." Colin Powell

From: "Graves, Suddha" < Sgraves@TechLawlnc.com >

To: Richard Rupert/R3/USEPA/US, Kelley Chase/R3/USEPA/US@EPA

Cc: Richard Fetzer/R3/USEPA/US@EPA

Date: 09/12/2012 02:12 PM

Subject: FW: Dimock IDW - Waste Profile

See message below. I am resending this e-mail as yesterday I had replied to this message on my phone but inadvertently sent it only to Rich Fetzer.

Suddha Graves

TechLaw, Inc.

From: Graves, Suddha

Sent: Tuesday, September 11, 2012 2:10 PM

To: Richard Fetzer

Subject: Re: Dimock IDW - Waste Profile

Rich.

I knew I was forgetting something, as I had wanted to talk to you about that.

The soil was in the waste profile because a small portion of the liquid waste material had spilled out on the ground.

The sampling team scooped up the soil where the liquid waste has spilled.

Suddha

On Sep 11, 2012, at 2:02 PM, "Richard Fetzer" < Fetzer.Richard@epamail.epa.gov > wrote:

Suddha, I have asked Rich Rupert to help me review this. Why do we have soil in this sampling waste when we didn't sample soil?

Rich

DIM0267946 DIM0267947

Richard M. Fetzer Federal On-Scene Coordinator 100 Gypsum Road Stroudsburg, PA 18360 (215) 341-6307

From: "Graves, Suddha" < Sgraves@TechLawlnc.com >

To: Richard Fetzer/R3/USEPA/US@EPA

Date: 09/07/2012 03:59 PM

Subject: Dimock IDW - Waste Profile

Hi Rich,

We are coordinating the disposal of the drum of IDW from Dimock. We have a disposal firm identified and as part of the process we need to prepare a waste profile. We have it completed and it needs signed by you. Once it is signed a manifest will be generated, which will then be sent to you for signature. Please review and sign the attached waste profile. A scan copy with your signature will be acceptable.

Please let me know if you have any questions.

Thanks,

Suddha Graves

TechLaw, Inc.

2208 Warwood Ave

Wheeling, WV 26003

304-907-0632 (office)

304-830-1441 (cell)

304-232-5006 (fax)

[attachment "Dim_IDW_WasteProfile_CH585750.pdf" deleted by Richard Fetzer/R3/USEPA/US]

DIM0267946 DIM0267948